



**PHYSICAL  
SECURITY**

# INTIMUS SFA 15-40

PHYSICAL SECURITY

## High security Safe

- ▶ Dual European Standard EN 1300 locking mechanism
- ▶ Auto firing relocker protects during forced entry
- ▶ Leading edge structural design with high quality steel reinforced with advanced ultra resistant composite fibers
- ▶ Floor anchoring



**SUPERIOR  
PERFORMANCES  
IN A  
SMALL CABINET**

- Depending on model certified AENOR security grade IV and A2P security grade I & II in accordance with European Standard EN 1143-1
- The locking mechanism consists of a boltwork with lateral, upper and lower sliding locking bolts
- Security locks in accordance with the European Standard EN 1300
- Finished in hard wearing RAL 7016 textured epoxy paint
- Door frame is reinforced with anti-wedges and anti-extraction systems
- Door is fitted with height adjustable hinges, selflubricating bushings and 180° opening

## OPTIONAL ELEMENTS

---

- Secret and lockable compartments
- Time locking system
- Retractable tray
- Auto-lock device (automatic closure)
- Front slot to introduce cash via a Security Grade V anti-fishing device in accordance with European Standard EN 1143-2
- Modular safe deposit boxes
- Custom colors



**All models incorporate an identification label and safety level in accordance with the European Standard**

The identification labels affixed to these models are a sign of quality and guarantee the highest level of security. Total quality. Exceptional value.



## TECHNICAL SPECIFICATIONS

Model	Grade	External Dimensions H x W x D			Internal Dimensions H x W x D			Nº Shelves	Capacity (gallon)	Weight (lbs)
intimus SFA 15-40-60	A2P Grade I	21.6"	20.8"	17.5"	18.5"	17.7"	11.8"	1	17,1	463
intimus SFA 15-40-100	A2P Grade I	27.1"	21.6"	19.6"	24"	18.5"	13.7"	1	26,4	595
intimus SFA 15-40-150	A2P Grade I	30.7"	23.6"	22.4"	27.5"	20.4"	16.5"	2	40,9	705
intimus SFA 15-40-200	A2P Grade I	39.3"	23.6"	22.4"	36.2"	20.4"	16.5"	2	52,8	959
intimus SFA 15-40-270	A2P Grade I	52.3"	23.6"	22.4"	49.2"	20.4"	16.5"	3	72,6	1091
intimus SFA 15-40-350	A2P Grade I	56.2"	25.5"	24"	53.1"	22.4"	18.1"	3	93,7	1356
intimus SFA 15-40-450	A2P Grade I	56.2"	27.5"	27.5"	53.1"	24.4"	21.6"	3	121,5	1565
intimus SFA 15-40-540	A2P Grade I	61"	29.5"	27.5"	57.8"	26.3"	21.6"	3	143	1741

Model	Grade	External Dimensions H x W x D			Internal Dimensions H x W x D			Nº Shelves	Capacity (gallon)	Weight (lbs)
intimus SFA 15-40-60	A2P Grade II	21.6"	20.8"	17.5"	18.5"	17.7"	11.8"	1	17,1	485
intimus SFA 15-40-100	A2P Grade II	27.1"	21.6"	19.6"	24"	18.5"	13.7"	1	26,4	617
intimus SFA 15-40-150	A2P Grade II	30.7"	23.6"	22.4"	27.5"	20.4"	16.5"	2	40,9	727
intimus SFA 15-40-200	A2P Grade II	39.3"	23.6"	22.4"	36.2"	20.4"	16.5"	2	52,8	992
intimus SFA 15-40-270	A2P Grade II	52.3"	23.6"	22.4"	49.2"	20.4"	16.5"	3	72,6	1124
intimus SFA 15-40-350	A2P Grade II	56.2"	25.5"	24"	53.1"	22.4"	18.1"	3	93,7	1389
intimus SFA 15-40-450	A2P Grade II	56.2"	27.5"	27.5"	53.1"	24.4"	21.6"	3	121,5	1609
intimus SFA 15-40-540	A2P Grade II	61"	29.5"	27.5"	57.8"	26.3"	21.6"	3	143	1796

Model	Grade	External Dimensions H x W x D			Internal Dimensions H x W x D			Nº Shelves	Capacity (gallon)	Weight (lbs)
intimus SFA 15-40-60	AENOR Grade IV	21.6"	20.8"	17.5"	18.5"	17.7"	11.8"	1	17,1	452
intimus SFA 15-40-100	AENOR Grade IV	27.1"	21.6"	19.6"	24"	18.5"	13.7"	1	26,4	606
intimus SFA 15-40-150	AENOR Grade IV	30.7"	23.6"	22.4"	27.5"	20.4"	16.5"	2	40,9	815
intimus SFA 15-40-200	AENOR Grade IV	39.3"	23.6"	22.4"	36.2"	20.4"	16.5"	2	52,8	992
intimus SFA 15-40-270	AENOR Grade IV	52.3"	23.6"	22.4"	49.2"	20.4"	16.5"	3	72,6	1201
intimus SFA 15-40-350	AENOR Grade IV	56.2"	25.5"	24"	53.1"	22.4"	18.1"	3	93,7	1411
intimus SFA 15-40-450	AENOR Grade IV	56.2"	27.5"	27.5"	53.1"	24.4"	21.6"	3	121,5	1631
intimus SFA 15-40-540	AENOR Grade IV	61"	29.5"	27.5"	57.8"	26.3"	21.6"	3	143	1863
intimus SFA 15-40-800	AENOR Grade IV	66.9"	38.5"	27.5"	63.7"	35.4"	21.6"	4	211,3	2535
intimus SFA 15-40-1000	AENOR Grade IV	81.4"	44.8"	28.5"	78.3"	41.7"	22.6"	4	321	2976
intimus SFA 15-40-1600	AENOR Grade IV	81.4"	57.4"	28.5"	78.3"	54.3"	22.6"	4	417,3	3483
intimus SFA 15-40-2000	AENOR Grade IV	81.4"	70"	28.5"	78.3"	66.9"	22.6"	4	513,8	4288
intimus SFA 15-40-2400	AENOR Grade IV	81.4"	82.6"	28.5"	78.3"	79.5"	22.6"	4	610,2	4971

\*Specifications and design are subject to change without notice.